

# EC Declaration of Conformity



0370-CPD-1431

CONSTRUCTION PRODUCTS DIRECTIVE 89/106/CEE

**PRODUCT MANUFACTURER:** ENVIRO CEMENT TECHNOLOGY, INC

**ADDRESS:** P.I. CARIHUELA  
AVD. DE LOS POCILLOS 10 NAVE 6  
28343 VALDEMORO – MADRID

**DECLARES UNDER HIS RESPONSABILITY THAT THE PRODUCT:**

**HYDROCLINKER 0.5 CP**

**FULFILLS THE REQUIREMENTS OF THE STANDARD:** EN-1504-7:2006

**APPLICATIONS:** SURFACE PROTECTION SYSTEM FOR CONCRET  
(CC MORTAR BASED HYDRAULIC CEMENT)

| PROPERTY  | MINIMUM REQUIREMENTS ACCORDING TO EN 1504-7  | TEST METHOD |
|---|--|-------------|
| Resistance to corrosion:<br>- 10 condensation cycles in water;<br>- 10 cycles in sulphur dioxide according to EN ISO 6988;<br>- 5 days in saline mist according to EN 6000-2-11 | After the series of cycles, the protected rods must be corrosion-free. Penetration of rust at the ends of the steel rods with no protection must be < 1 mm | EN 15183    |

**SPECIFIC APPLICATIONS:**  
ACCORDING TO RECOMMENDATIONS DESCRIBED IN THE LABEL OF THE PRODUCT

This declaration of conformity is supported by the EC Certificate number 0370-CPD-1431 issued on 2012-11-30 by the Applus LGAI Tecnológica Center, S.A., Notified Body number 0370, Products and systems for the protection and repair of concrete structures - Definitions, requirements, quality control and evaluation of conformity - Part 7: Reinforcement corrosion protection



Enviro-Cement Technology Inc.  
Zbigniew Koprowski  
Technical Director  
ENVIRO CEMENT TECHNOLOGY INC

